

PIANO KEY FINDER AND CHORD INDICATOR

Field of Invention

The invention pertains to teaching and learning aids for musical instruments. More particularly, the invention relates to a device for helping piano students to determine which notes and piano keyboard locations are associated with the chromatic scale for each key and which major and minor chords are associated with that key.

Background of the Invention

Various hand-held devices have been developed for assisting music teachers and students to determine the notes and chord combinations associated with each key. These inventions involve different types of wheels, rotating cylinders, vertical and horizontal slides and similar devices. Some of these inventions illustrate fingering combinations for use with a guitar.

U.S. Patent No. 4,960,029 issued to *Nelson* is directed to a musical scale-determining device. The device has a thin sheet material body constructed of either paper or plastic or some other rigid material. Printed on the front surface are a number of longitudinally oriented rows of musical notes. Two of the rows are located within an upper section and two of the rows are located in a lower section. Located on the front surface are a series of indicators comprising a pointer that point either to the upper section or the lower section, or both.

Located on the back surface of the body are vertical rows of musical notes, again located in an upper section and a lower section. Formed within the back surface of a cursor are a series of transparent windows for observing a single column of three notes within either an upper

section or a lower section. This cursor is slidable and is used to determine the major and minor chords for different keys. Within the front surface of the cursor are also located a plurality of windows with identifying indicia as Roman Numerals I-VIII to denote major sharp and flat scales. The cursor is also formed of thin sheet material and forms an internal chamber
5 into which the necked down section of the body is disposed.

U.S. Patent No. 3,668,967 issued to *Malis*, is directed to a chord indicator in the form of a slide rule device. The device is comprised of a first elongated slide, a second elongated slide carried within the first slide, and an outer elongated indicator which is adapted to slidably receive and contain the first and second slides. The first slide is an elongated sleeve,
10 which surrounds the second slide, and indicator is also an elongated sleeve, which surrounds the second slide. The first slide has a series of indexing windows extending completely through the front face at a location near the right end thereof to show corresponding chord type identification.

The front face of the first slide also includes a plurality of apertures along its length,
15 which are substantially equal in size to and are adapted to uncover spots on the second slide. The first slide also has imprinted along the lower edge of its front surface a series of characters, which represent the various notes in the scale. Manipulation of the slides permit identification of the chord name, title or selection of a particular chord, identification of the notes in that chord, the chord type, and other useful musical information.

20 U.S. Patent No. 6,031,172, issued to *Papadopoulos* is directed to music teaching aid. The teaching aid comprises a cylindrical body, the periphery of which is substantially covered by a plurality of reference rings that have independent rotary movement. As seen, each ring is divided into twelve segments, each of which has an identification that represents the

successive notes of the chromatic scale. It is seen that appropriate manipulation of these rings with accompanying teaching aids permits one to identify all possible types of scales, major, minor and chord constructions.

U.S. Patent No. 675,345 issued to *Bauer* is directed to a music chart circa 1901. It is
5 seen that there is a music chart with a face-plate and a back plate which is ruled longitudinally to form a series of subdivisions or rows to indicate the principal major chords and corresponding minor chords which are identifying through the use of a slider which can be appropriately
slidingly displaced to identify major keys, minor key, dominant chords and tonic triads.

U.S. Patent No. 5,386,757 issued to *Derrick* is directed to a universal musical scale,
10 scale pattern, and chord indicator. Device housing is of a slide-rule nature and is generally a hollow envelope-shaped enclosure open at either end and designed to function interdependently with any pre-selected sliding member. A number of sliding members are provided with indicia indicative of the degrees of a musical scale respectively printed adjacent to each display window formed in housing. As seen, the combination of the primary housing with a particular sliding
15 member provides information to identify certain characteristics within musical scales and assist in the identification of chords, tone indicators and other musical qualities.

While other variations exist, the above-described designs for note and chord
identifying devices are typical of those encountered in the prior art. It is an objective of the present invention to provide a simple, portable device for use by piano students and teachers
20 to determine the notes of the chromatic scale for each key. It is a further objective to provide a device that indicates the piano keyboard locations for each such note. It is a still further objective of the invention to identify the major and minor chords associated with each key. It is yet a further objective to indicate the keyboard locations of each of the major and minor

chords. Finally, it is an objective of the invention to provide the above-described capabilities in an inexpensive and durable device that may be easily and inexpensively manufactured.

While some of the objectives of the present invention are disclosed in the prior art, none of the inventions found include all of the requirements identified.

5

Summary of the Invention

The present invention addresses all of the deficiencies of prior piano key finder and chord indicator inventions and satisfies all of the objectives described above.

(1) A piano key finder and chord indicator providing the desired features may be constructed from the following components. Means are provided for displaying alphabetic representations of a chromatic scale associated with a selected musical key. Means are provided for displaying alphabetic representations of major and minor chords associated with the selected musical key. Means are provided for indicating piano keys associated with the chromatic scale associated with the selected musical key.

(2) In a variant of the invention, an outer sleeve is provided. The outer sleeve is formed of semi-rigid material and has a front surface, a back surface, top and bottom edges, first and second ends and an interior cavity. The interior cavity is open at the first and second ends of the outer sleeve. The outer sleeve has a representation of a portion of a piano keyboard and first and second series of openings penetrating at least one of the front and rear surfaces. A slide member is provided. The slide member has first and second ends and is sized and shaped to fit slidably within the interior cavity. The slide member has a first portion and a second portion. The first portion carries alphabetic representations. The representations

20

are sized and shaped to be visible through the first set of openings in the outer sleeve as the slide member is moved through the outer sleeve.

The alphabetic representations illustrate a selected musical key, a chromatic scale, a major chord and a minor chord associated with the musical key. The second portion has a first series of markings. The first markings are sized and shaped to be visible through the second set of openings in the outer sleeve as the slide member is moved through the outer sleeve. The first markings indicate piano keys associated with the chromatic scale associated with the selected musical key. When a user moves the slide member within the inner cavity of the outer sleeve, aligning one of the first series of openings in the outer sleeve with one of the alphabetic representations illustrating a selected musical key, the alphabetic representations for each note of the chromatic scale as well as major and minor chords associated with that selected musical key will be visible through the first set of openings and the first markings indicating the piano keys associated with the chromatic scale will be visible through the second set of openings.

(3) In another variant, the piano key finder and chord indicator further includes means for preventing the slide member from being removed from the outer sleeve.

(4) In yet another variant, the means for preventing the slide member from is removed from the outer sleeve further includes first and second enlarged end sections. The enlarged end sections are attached at the first and second ends of the slide member. The enlarged end sections are sized and shaped to prevent their passage through the interior cavity. When the slide member is moved through the interior cavity to permit alignment of the alphabetic representations with the first the series of openings, the slide member will remain permanently and slidably attached to the outer sleeve.

(5) In still another variant, at least one finger notch is provided. The finger notch is located at either of the first and second ends of the outer sleeve. When the first end of the slide member is aligned with the first end of the inner sleeve, the finger notch will permit the slide member to be either of pulled from and pushed into the outer sleeve.

5 (6) In a further variant of the invention, the second set of openings in the outer sleeve are of a first predetermined shape.

(7) In still a further variant, a third set of openings in the outer sleeve is provided. The third set of is of a second predetermined shape and located on the representation of a portion of a piano keyboard. A second series of markings is provided. The second series of markings
10 is located on the second portion of the slide member and positioned so as to indicate the piano keys associated with a major chord for a selected key when the sleeve member is aligned with the outer sleeve so that the alphabetic representation associated with the selected key is visible through one of the first set of openings.

(8) In another variant, a fourth set of openings in the outer sleeve is provided. The
15 fourth set of openings is of a third predetermined shape and located on the representation of a portion of a piano keyboard. A third series of markings is provided. The third series of markings is located upon the second portion of the slide member and positioned so as to indicate the piano keys associated with a minor chord for a selected key when the slide member is aligned with the outer sleeve so that the alphabetic representation associated with
20 the selected key is visible through one of the first set of openings.

(9) In yet another variant, a third and a fourth set of openings in the outer sleeve are provided. The third set of openings is of a second predetermined shape, the fourth set of openings is of a third predetermined shape. The third and fourth set of openings are located

upon the representation of a portion of a piano keyboard. Second and third series of marking are provided. The second and third series of markings are located on the second portion of the slide member and positioned so as to indicate the piano keys associated with a major chord and a minor chord for a selected key when the slide member is aligned with the outer sleeve so that the alphabetic representation associated with the selected key is visible through one of the first set of openings.

(10) In still another variant, the first series of markings are of a first predetermined color.

(11) In still a further variant, a fifth set of openings in the outer sleeve is provided.

The fifth set of openings is located on the representation of a portion of a piano keyboard. A fourth series of markings is provided. The fourth series of markings is of a second predetermined color and is located upon the second portion of the slide member and positioned so as to indicate the piano keys associated with a major chord for a selected key when the slide member is aligned with the outer sleeve so that the alphabetic representation associated with the selected key is visible through one of the first set of openings.

(12) In yet a further variant of the invention, a sixth set of openings in the outer sleeve is provided. The sixth set of openings is located on the representation of a portion of a piano keyboard. A fifth series of markings is provided. The fifth series of markings is of a third predetermined color and located upon the second portion of the slide member and positioned so as to indicate the piano keys associated with a minor chord for a selected key when the slide member is aligned with the outer sleeve so that the alphabetic representation associated with the selected key is visible through one of the first set of openings.

(13) In still a further variant, a fifth and a sixth set of openings in the outer sleeve are provided. The fifth and sixth sets of openings are located on the representation of a portion of a piano keyboard. A fourth and a fifth series of markings are provided. The fourth and fifth series of markings are of second and third predetermined colors and located on the second portion of the slide member. The fourth and fifth sets of markings are positioned so as to indicate the piano keys associated with a major chord and a minor chord for a selected key when the slide member is aligned with the outer sleeve so that the alphabetic representation associated with the selected key is visible through one of the first set of openings.

(14) In a further variant of the invention, a method of displaying an alphabetic representation of a chromatic scale, major and minor chords and identifying piano keys associated with a selected musical key is providing, which includes steps of: Providing an outer sleeve. The outer sleeve is formed of semi-rigid material and has a front surface, a back surface, top and bottom edges, first and second ends and an interior cavity. The interior cavity is open at the first and second ends of the outer sleeve. The outer sleeve has a representation of a portion of a piano keyboard and first and second series of openings penetrating at least one of the front and rear surfaces.

Providing a slide member. The slide member has first and second ends and is sized and shaped to fit slidably within the interior cavity. The slide member has a first portion and a second portion. Marking the first portion with alphabetic representations. The representations are sized and shaped to be visible through the first set of openings in the outer sleeve as the slide member is moved through the outer sleeve. The alphabetic representations illustrate a selected musical key, a chromatic scale, a major chord and a minor chord associated with the musical key. Providing the second portion with a first series of markings. The first markings

is sized and shaped to be visible through the second set of openings in the outer sleeve as the slide member is moved through the outer sleeve. The first markings indicate piano keys associated with the chromatic scale associated with the selected musical key.

Moving the slide member within the inner cavity of the outer sleeve to align one of the first series of openings in the outer sleeve with one of the alphabetic representations illustrating a selected musical key. Displaying the alphabetic representations for each note of the chromatic scale as well as major and minor chords associated with that selected musical key through the first series of openings. Displaying the first markings indicating the piano keys associated with the chromatic scale will be visible through the second set of openings.

(15) In still a further variant, the method of displaying an alphabetic representation of a chromatic scale, major and minor chords and identifying piano keys associated with a selected musical key further includes the step of providing the second set of openings in the outer sleeve in a first predetermined shape.

(16) In yet a further variant, the method includes the additional steps of: Providing a third set of openings in the outer sleeve. The third set of openings is of a second predetermined shape and located on the representation of a portion of a piano keyboard. Providing a second set of markings. The second set of markings is located on the second portion of the slide member and positioned so as to indicate the piano keys associated with a major chord for a selected key. Aligning the sleeve member with the outer sleeve so that the alphabetic representation associated with the selected key is visible through one of the first set of openings. Displaying the piano keys associated with the major chord associated with the selected musical key.

(17) In another variant the method includes the additional steps of: Providing a fourth set of openings in the outer sleeve. The fourth set of openings is of a third predetermined shape and located on the representation of a portion of a piano keyboard. Providing a third set of markings. The third set of markings is located on the second portion of the slide member and positioned so as to indicate the piano keys associated with a minor chord for a selected key. Aligning the sleeve member with the outer sleeve so that the alphabetic representation associated with the selected key is visible through one of the first set of openings. Displaying the piano keys associated with the minor chord associated with the selected musical key.

(18) In still another variant, the method includes the additional steps of: Providing a third set and a fourth set of openings in the outer sleeve. The third and fourth sets of openings are of second and third predetermined shapes and located on the representation of a portion of a piano keyboard. Providing a second set and a third set of markings. The second and third sets of markings are located on the second portion of the slide member and positioned so as to indicate the piano keys associated with a minor chord for a selected key. Aligning the sleeve member with the outer sleeve so that the alphabetic representation associated with the selected key is visible through one of the first set of openings. Displaying the piano keys associated with the minor chord associated with the selected musical key.

(19) In yet another variant, the method includes the additional step of providing the first set of markings in a first predetermined color.

(20) In a further variant, the method includes the additional steps of: Providing a third set of openings in the outer sleeve. The third set of openings is located on the representation of a portion of a piano keyboard. Providing a second set of markings. The second set of markings is of a second predetermined color and is located on the second portion of the slide

member and positioned so as to indicate the piano keys associated with a major chord for a selected key. Aligning the sleeve member with the outer sleeve so that the alphabetic representation associated with the selected key is visible through one of the first set of openings. Displaying the piano keys associated with the major chord associated with the selected musical key.

(21) In still a further variant, the method includes the additional steps of: Providing a fourth set of openings in the outer sleeve. The fourth set of openings is located on the representation of a portion of a piano keyboard. Providing a third set of markings, The third set of markings is of a third predetermined color and located on the second portion of the slide member and positioned so as to indicate the piano keys associated with a minor chord for a selected key. Aligning the sleeve member with the outer sleeve so that the alphabetic representation associated with the selected key is visible through one of the first set of openings. Displaying the piano keys associated with the minor chord associated with the selected musical key.

(22) In a final variant, the method includes the additional steps of: Providing a third and a fourth set of openings in the outer sleeve. The third and fourth sets of openings are located upon the representation of a portion of a piano keyboard. Providing a second and a third set of markings. The second and third sets of markings are of second and third predetermined colors and located on the second portion of the slide member. The second and third sets of markings are positioned so as to indicate the piano keys associated with a major chord and a minor chord for a selected key. Aligning the sleeve member with the outer sleeve so that the alphabetic representation associated with the selected key is visible through one of

the first set of openings. Displaying the piano keys associated with the major and minor chord associated with the selected musical key.

An appreciation of the other aims and objectives of the present invention and an understanding of it may be achieved by referring to the accompanying drawings and the
5 detailed description of a preferred embodiment.

Description of the Drawings

Figure 1 is a perspective view of the preferred embodiment of the invention illustrating how the two main components interact;

10 **Figure 2** is a plan view of the preferred embodiment of the invention illustrating the operation of the invention;

Figure 3 is a plan view of an embodiment that includes a means for preventing the slide member from being removed from the outer sleeve;

15 **Figure 4** is a plan view of another embodiment that includes a means for preventing the slide member from being removed from the outer sleeve;

Figure 5 is a plan view of an embodiment that includes a means for allowing a user to pull or push the slide member when it is aligned with the edge of the outer sleeve;

Figure 6 is a plan view of an embodiment where the second set of openings are of a predetermined shape;

20 **Figure 7** is a plan view of an embodiment of the invention that includes a third set of opening and a second series of markings;

Figure 8 is a plan view of an embodiment of the invention that includes a fourth set of openings and a third series of markings;

Figure 9 is a plan view of an embodiment of the invention that includes both a third and fourth sets of openings and a second and third series of markings;

Figure 10 is a plan view of an embodiment of the invention that includes a fifth set of openings and several series of markings that are of predetermined colors;

5 **Figure 11** is a plan view of an embodiment of the invention that includes a sixth set of openings and several series of markings that are of predetermined colors; and

Figure 12 is a plan view of an embodiment of the invention that includes both a fifth and sixth sets of openings and several series of markings that are of predetermined colors;

10

Detailed Description of the Preferred Embodiment

(1) **Figures 1-5** illustrate a piano key finder and chord indicator **10** providing the desired features that may be constructed from the following components. As illustrated in
15 figures **1** and **2**, means **15** are provided for displaying alphabetic representations **17** of a chromatic scale **20** associated with a selected musical key **25**. Means **30** are provided for displaying alphabetic representations **17** of major **35** and minor **40** chords associated with the selected musical key **25**. Means **45** are provided for indicating piano keys associated with the chromatic scale **20** associated with the selected musical key **25**.

20 (2) In a variant of the invention, an outer sleeve **55** is provided. The outer sleeve **55** is formed of semi-rigid material and has a front surface **60**, a back surface **65**, top **70** and bottom **75** edges, first **80** and second **85** ends and an interior cavity **90**. The interior cavity **90** is open at the first **80** and second **85** ends of the outer sleeve **55**. The outer sleeve **55** has a representation of a portion of a piano keyboard **95** and first **100** and second **105** sets of

openings penetrating at least one of the front 60 and rear 65 surfaces. A slide member 110 is provided. The slide member 110 has first 115 and second 120 ends and is sized and shaped to fit slidably within the interior cavity 90. The slide member 110 has a first portion 125 and a second portion 130. The first portion 125 carries alphabetic representations 17. The representations 17 are sized and shaped to be visible through the first set of openings 100 in the outer sleeve 55 as the slide member 110 is moved through the outer sleeve 55.

The alphabetic representations 17 illustrate a selected musical key 25, a chromatic scale 20, a major chord 35 and a minor chord 40 associated with the musical key 25. The second portion 130 has a first series of markings 140. The first markings 140 are sized and shaped to be visible through the second set of openings 105 in the outer sleeve 55 as the slide member 110 is moved through the outer sleeve 55. The first markings 140 indicate piano keys associated with the chromatic scale 20 associated with the selected musical key 25. When a user moves the slide member 110 within the interior cavity 90 of the outer sleeve 55, aligning one of the first set of openings 100 in the outer sleeve 55 with one of the alphabetic representations 17 illustrating a selected musical key 25, the alphabetic representations 17 for each note of the chromatic scale 20 as well as major 35 and minor 40 chords associated with that selected musical key 25 will be visible through the first set of openings 100 and the first markings 140 indicating the piano keys associated with the chromatic scale 20 will be visible through the second set of openings 105.

(3) In another variant, as illustrated in figures 3 and 4, the piano key finder and chord indicator 10 further includes means 145 for preventing the slide member 110 from being removed from the outer sleeve 55.

(4) In yet another variant, as illustrated in figures 3 and 4, the means 145 for preventing the slide member 110 from being removed from the outer sleeve 55 further includes first 150 and second 155 enlarged end sections. The enlarged end sections 150, 155 are attached at the first 115 and second 120 ends of the slide member 110. The enlarged end sections 150, 155 are sized and shaped to prevent their passage through the interior cavity 90. When the slide member 110 is moved through the interior cavity 90 to permit alignment of the alphabetic representations 17 with the first series of openings 100, the slide member 110 will remain permanently and slidably attached to the outer sleeve 55.

(5) In still another variant, as illustrated in figure 5, at least one finger notch 160 is provided. The finger notch 160 is located at either of the first 80 and second 85 ends of the outer sleeve 55. When the first end 115 of the slide member 110 is aligned with the first end of the outer sleeve 55, the finger notch 160 will permit the slide member 110 to be either pulled from or pushed into the outer sleeve 55.

(6) In a further variant of the invention, as illustrated in figure 6, the second set of openings 105 in the outer sleeve 55 are of a first predetermined shape 170.

(7) In still a further variant, as illustrated in figure 7, a third set of openings 175 in the outer sleeve 55 is provided. The third set of openings 175 is of a second predetermined shape 180 and located on the representation of a portion of a piano keyboard 95. A second series of markings 185 is provided. The second series of markings 185 is located on the second portion 130 of the slide member 110 and positioned so as to indicate the piano keys associated with a major chord 35 for a selected key 25 when the slide member 110 is aligned with the outer sleeve 55 so that the alphabetic representation 17 associated with the selected key 25 is visible through one of the first set of openings 100.

(8) In another variant, as illustrated in figure 8, a fourth set of openings **190** in the outer sleeve **55** is provided. The fourth set of openings **190** is of a third predetermined shape **195** and located on the representation of a portion of a piano keyboard **95**. A third series of markings **200** is provided. The third set series of markings **200** is located upon the second portion **130** of the slide member **110** and positioned so as to indicate the piano keys associated with a minor chord **40** for a selected key **25** when the slide member **110** is aligned with the outer sleeve **55** so that the alphabetic representation **17** associated with the selected key **25** is visible through one of the first set of openings **100**.

(9) In yet another variant, as illustrated in figure 9, a third **175** and a fourth **190** set of openings in the outer sleeve **55** are provided. The third set of openings **175** is of a second predetermined shape **180**, the fourth set of openings **190** is of a third predetermined shape **195**. The third **175** and fourth **190** set of openings are located upon the representation of a portion of a piano keyboard **95**. Second **185** and third **200** series of markings are provided. The second **185** and third **200** sets of markings are located on the second portion **130** of the slide member **110** and positioned so as to indicate the piano keys associated with a major chord **35** and a minor chord **40** for a selected key **25** when the slide member **110** is aligned with the outer sleeve **55** so that the alphabetic representation **17** associated with the selected key **25** is visible through one of the first set of openings **100**.

(10) In still another variant, as illustrated in figure 10, the first series of markings **140** are of a first predetermined color **220**.

(11) In still a further variant, as illustrated in figure 10, a fifth set of openings **235** in the outer sleeve **55** is provided. The fifth set of openings **235** is located on the representation of a portion of a piano keyboard **95**. A fourth series of markings **240** is provided. The fourth

series of markings **240** are of a second predetermined color **225** and is located upon the second portion **130** of the slide member **110** and positioned so as to indicate the piano keys associated with a major chord **35** for a selected key **25** when the slide member **110** is aligned with the outer sleeve **55** so that the alphabetic representation **17** associated with the selected key **25** is visible through one of the first set of openings **100**.

(12) In yet a further variant of the invention, as illustrated in figure 11, a sixth set of openings **245** in the outer sleeve is provided. The sixth set of openings **245** is located on the representation of a portion of a piano keyboard **95**. A fifth series of markings **215** are provided. The fifth series of markings **215** are of a third predetermined color **230**. The markings are located upon the second portion **130** of the slide member **110** and positioned so as to indicate the piano keys associated with a minor chord **40** for a selected key **25** when the slide member **110** is aligned with the outer sleeve **55** so that the alphabetic representation **17** associated with the selected key **25** is visible through one of the first set of openings **100**.

(13) In still a further variant, as illustrated in figure 12, fifth **235** and a sixth **245** set of openings in the outer sleeve **55** are provided. The fifth **235** and a sixth **245** sets of openings are located on the representation of a portion of a piano keyboard **95**. A fourth **240** and a fifth **215** series of markings **200** are provided. The fourth **240** and a fifth **215** series of markings are of second **225** and third **230** predetermined colors and located on the second portion **130** of the slide member **110**. The fourth **240** and a fifth **215** series of markings are positioned so as to indicate the piano keys associated with a major chord **35** and a minor chord **40** for a selected key **25** when the slide member **110** is aligned with the outer sleeve **55** so that the alphabetic representation **17** associated with the selected key **25** is visible through one of the first set of openings **100**.